




Uponor Classic steel mesh, coated 150mm 2100x1200x3mm

1005087

- Steel mesh for mounting of pipe fixing of underfloor heating pipes
- Material: coated steel



About Uponor Classic steel mesh, coated

Specification

- Classic underfloor heating system for installation on top of thermal/step-sound insulation provided by the customer.
- Designed as steel-mesh supported fixation using single pipe clips

Application




- Radiant underfloor heating and cooling
- For use with cement- and anhydrite-based screeds

Certification

- DIN CERTCO: 7F004-F; 7F371-F; 7F421-F

Uponor Classic steel mesh, coated 150mm 2100x1200x3mm

1005087



Product code

Item no EAN	4021598026346
Item no GF	35001005087
Item no GTIN	04021598026346

Dimensions

Item Unit Height	3
Item Unit Length	1000
Item Unit Weight	0,8
Item Unit Width	1000
Item_UOM	m ²

Measurements

LENGTH_L	2100
Length (l1)	150
Outer Diameter_do	3
Z Measurement b	1200
Z Measurement b1	150

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks
-----------------------------	--

Packaging

Packaging GTIN PL1	06414900380881
Packaging GTIN PL4	06414900321617
Packaging Height PL1	30
Packaging Height PL4	840
Packaging Length PL1	1201
Packaging Length PL4	1202
Packaging Quantity PL1	25.2
Packaging Quantity PL4	756
Packaging Type PL1	Bundle

Packaging Type PL4	Pallet
Packaging Volume PL1	0,07569903
Packaging Volume PL4	2,12234736
Packaging Weight PL1	20,17
Packaging Weight PL4	600
Packaging Width PL1	2101
Packaging Width PL4	2102

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb