

## Uponor Fluvia max.temp.limiter 5-60°

1005504

- Max.temp.limiter 5-60°C for pump stop



### About Uponor Fluvia max.temp.limiter

#### Specification

- Pre-mounted
- Fluvia Move pump groups with supply temperature controller Uponor Smatrix Move
- Fluvia T can be installed with brackets left or right on the installation

#### Application

- Max. primary temperature: 90°C
- Max. secondary temperature: 55 - 60°C

## Uponor Fluvia max.temp.limiter 5-60°

1005504



### Product code

Item no EAN	4021598024083
Item no GTIN	04021598024083
Item no NRF	8361184
Item no VVS	466260995

### Dimensions

Item Unit Height	115
Item Unit Length	46
Item Unit Weight	0,14
Item Unit Width	55
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905252275
Packaging GTIN PL3	06414905252282
Packaging GTIN PL4	06414905655922
Packaging Height PL1	125
Packaging Height PL3	135
Packaging Height PL4	1000
Packaging Length PL1	65
Packaging Length PL3	390
Packaging Length PL4	800
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	480
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000446875

Packaging Volume PL3	0,01026675
Packaging Volume PL4	0,96
Packaging Weight PL1	0,19
Packaging Weight PL3	2
Packaging Weight PL4	121
Packaging Width PL1	55
Packaging Width PL3	195
Packaging Width PL4	1200

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)