
Product data sheet




GF Uponor Uni-X coupling plated G3/4"MT Euro-G3/4"MT Euro

1006641

- For use with Uni-X Eurocone compression adapters
- Made of tin-plated brass
- Male thread acc. to EN ISO 228-1.





About GF Uponor Uni-X coupling plated

Specification


- Compression fittings with eurocone and metric connections
- Made of brass or tin-plated brass depending on variant
- Compatible with Uponor Uni Pipe PLUS and MLC pipes
- Female and male thread options according to EN ISO 228-1
- No bevel required for installation


Application

For connection of
- drinking water systems
- heating systems
- radiant heating and cooling systems

GF Uponor Uni-X coupling plated G3/4"MT Euro-G3/4"MT Euro

1006641





Measurements

Cylindric_thread_G	3/4
Cylindric_thread_G1	3/4
LENGTH_L	27
Length (l1)	10
Length (l2)	10
z1	7

Product code

Item no EAN	4021598501539
Item no GF	35001006641
Item no GTIN	04021598501539
Item no NOBB	41941945
Item no NRF	5071752
Item no VVS	045465606

Dimensions

Item Unit Height	29
Item Unit Length	28
Item Unit Weight	0,058
Item Unit Width	29
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905634705
Packaging GTIN PL3	06414905252374
Packaging GTIN PL4	06414905252381
Packaging Height PL1	89
Packaging Height PL3	95

Packaging Height PL4	714
Packaging Length PL1	176
Packaging Length PL3	277
Packaging Length PL4	1200
Packaging Quantity PL1	20
Packaging Quantity PL3	80
Packaging Quantity PL4	7680
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001049488
Packaging Volume PL3	0,004710385
Packaging Volume PL4	0,68544
Packaging Weight PL1	1,198
Packaging Weight PL3	4,892
Packaging Weight PL4	494,632
Packaging Width PL1	67
Packaging Width PL3	179
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+