Product data sheet



GF Uponor Minitec connection box cover

1007251

- Stainless steel, high polished
- Only for the Minitec connection boxes
- 4 screws



About GF Uponor Minitec connection box cover

Specification

- Minitec underfloor heating system for fixation on solid floors or specified insulation materials
- Designed as sturdy pipe fixing system of minimum height, with integrated pipe laying channels for correct pipe laying distances
- For use with Uponor Minitec PE-Xa pipes 9.9 x 1.1 mm; allowing for straight and diagonal pipe laying
- Fire class E to BS EN 13501-1 (pipe and panels)
- Pipe spacing: Vz 5, 10, 15
- Net surface with overlapping nubs: 0,77m²

Application

- Radiant underfloor heating and cooling
- Very low construction height
- For use with qualified filler materials

Certification

- DIN CERTCO: 7F170-F

GF Uponor Minitec connection box cover

1007251



Product code

Item no EAN	4021598100770
Item no GTIN	04021598100770

Dimensions

Item Unit Height	2
Item Unit Length	312
Item Unit Weight	0,71
Item Unit Width	238
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905433612
Packaging Height PL1	3
Packaging Length PL1	375
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,00043875
Packaging Weight PL1	0,74
Packaging Width PL1	390

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+