

## Uponor Ecoflex H-insulation set 200/175/140

**1007355**

- H-set for connecting the casing pipe from single and twin pipe systems
- ABS half shells with insulation and reducer spigots
- Additional rubber end caps needed for water tightness
- Traffic load with special concrete construction possible



### About Uponor Ecoflex H-insulation set

#### Specification

- All accessories are corrosion resistant.

#### Application

- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex H-insulation set 200/175/140

1007355



### Measurements

Inner_diameter_di1	200
Inner_diameter_di2	175
Inner_diameter_di3	140
LENGTH_L	1290
Length (l1)	1260
Z Measurement b	428

### Product code

Item no EAN	4021598100831
Item no GF	35001007355
Item no GTIN	04021598100831
Item no NRF	8361406
Item no RSK	2190449
Item no VVS	087902840

### Dimensions

Item Unit Height	550
Item Unit Length	1290
Item Unit Weight	16,4
Item Unit Width	1260
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414905433636
Packaging Height PL1	650
Packaging Length PL1	1500
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	1,4625
Packaging Weight PL1	16,401

Packaging Width PL1

1500

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)