


Uponor Ecoflex wall seal PWP 175

1007361

- For concrete core hole or fibre cement pipe
- Part to seal the casing pipe
- Applicable for PWP (pressurized water)
- Watertight up to 0,3bar



About Uponor Ecoflex wall seal PWP

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex wall seal PWP 175

1007361



Measurements

| | |
|-------------------|-----|
| Inner_diameter_di | 175 |
| LENGTH_L | 110 |
| Outer Diameter_do | 250 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598101036 |
| Item no GF | 35001007361 |
| Item no GTIN | 04021598101036 |
| Item no NRF | 8361408 |
| Item no VVS | 087916217 |

Dimensions

| | |
|------------------|-----|
| Item Unit Height | 250 |
| Item Unit Length | 110 |
| Item Unit Weight | 3,3 |
| Item Unit Width | 250 |
| Item_UOM | pce |

Status

| | |
|-----------------------------|--|
| MTO (longer delivery times) | Item available on request, minimum lead time 2 weeks |
|-----------------------------|--|

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905252442 |
| Packaging Height PL1 | 115 |
| Packaging Length PL1 | 260 |
| Packaging Quantity PL1 | 1 |
| Packaging Type PL1 | Base_Box |
| Packaging Volume PL1 | 0,007774 |
| Packaging Weight PL1 | 3,744 |
| Packaging Width PL1 | 260 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb