


Uponor Ecoflex additional insert 140

1007365

- For concrete core hole or fibre cement pipe
- Part to eliminate radial stress of the casing pipe
- Used with Uponor wall seal PWP



About Uponor Ecoflex additional insert

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex additional insert 140

1007365



Measurements

Inner_diameter_di	140
LENGTH_L	65
Outer Diameter_do	200

Product code

Item no EAN	4021598100862
Item no GF	35001007365
Item no GTIN	04021598100862
Item no NRF	8361411
Item no VVS	087916114

Dimensions

Item Unit Height	200
Item Unit Length	65
Item Unit Weight	1,507
Item Unit Width	200
Item_UOM	pce

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks
-----------------------------	------------------------------------------------------

Packaging

Packaging GTIN PL1	06414905252459
Packaging Height PL1	200
Packaging Length PL1	120
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,0048
Packaging Weight PL1	2,281049
Packaging Width PL1	200

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb