

Uponor Ecoflex additional insert 200

1007367

- For concrete core hole or fibre cement pipe
- Part to eliminate radial stress of the casing pipe
- Used with Uponor wall seal PWP



About Uponor Ecoflex additional insert

Specification

- All accessories are corrosion resistant.

Application

- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex additional insert 200

1007367



Measurements

Inner_diameter_di	200
LENGTH_L	65
Outer Diameter_do	300

Product code

Item no EAN	4021598100886
Item no GF	35001007367
Item no GTIN	04021598100886
Item no VVS	087916120

Dimensions

Item Unit Height	300
Item Unit Length	65
Item Unit Weight	3,44
Item Unit Width	300
Item_UOM	pce

Technical data

Recycling Text Block PL1	Corrugated fibreboard
--------------------------	-----------------------

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks
-----------------------------	--

Packaging

Packaging GTIN PL1	06414905633296
Packaging Height PL1	115
Packaging Length PL1	305
Packaging Material (number) PL1	20
Packaging Material PL1	Corrugated fibreboard
Packaging Material (short) PL1	PAP
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box

Packaging Volume PL1	0,0105225
Packaging Weight PL1	3,582
Packaging Width PL1	300

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb