

## Uponor Ecoflex additional insert 200

**1007367**

- For concrete core hole or fibre cement pipe
- Part to eliminate radial stress of the casing pipe
- Used with Uponor wall seal PWP



### About Uponor Ecoflex additional insert

#### Specification

- All accessories are corrosion resistant.

#### Application

- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex additional insert 200

1007367

**Measurements**

Inner_diameter_di	200
LENGTH_L	65
Outer Diameter_do	300

**Product code**

Item no EAN	4021598100886
Item no GF	35001007367
Item no GTIN	04021598100886
Item no VVS	087916120

**Dimensions**

Item Unit Height	300
Item Unit Length	65
Item Unit Weight	3,44
Item Unit Width	300
Item_UOM	pce

**Status**

MTO (longer delivery times) Item available on request, minimum lead time 2 weeks

**Packaging**

Packaging GTIN PL1	06414905633296
Packaging Height PL1	115
Packaging Length PL1	305
Packaging Material (number) PL1	20
Packaging Material PL1	Corrugated fibreboard
Packaging Material (short) PL1	PAP
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,0105225
Packaging Weight PL1	3,582

Packaging Width PL1

300

## Technical data

Recycling Text Block PL1

Corrugated fibreboard

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E

customerservice.uk.bfs@georgfi  
scher.com