


Uponor Ecoflex fibre cement pipe PWP 140

1007370

- Embed in a brick wall or concrete wall
- Alternative to water-proof concrete core hole
- Applicable for Uponor wall seal PWP (pressurized water)
- "Dimension" - refers to pipe jacket diameter



About Uponor Ecoflex fibre cement pipe PWP

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex fibre cement pipe PWP 140

1007370



Measurements

Inner_diameter_di	200
LENGTH_L	400
Outer Diameter_do	250

Product code

Item no EAN	4021598100916
Item no GF	35001007370
Item no GTIN	04021598100916
Item no VVS	087913814

Dimensions

Item Unit Height	242
Item Unit Length	403
Item Unit Weight	13,04
Item Unit Width	242
Item_UOM	pce

Status

MTO (longer delivery times) Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1	06414900564496
Packaging GTIN PL4	06414900564502
Packaging Height PL1	240
Packaging Height PL4	950
Packaging Length PL1	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	24
Packaging Type PL1	PIECE
Packaging Type PL4	PALLET

Packaging Volume PL1	0,02304
Packaging Volume PL4	0,912
Packaging Weight PL1	13,04
Packaging Weight PL4	337,96
Packaging Width PL1	240
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb