


Uponor Ecoflex fibre cement pipe PWP 175

1007371

- Embed in a brick wall or concrete wall
- Alternative to water-proof concrete core hole
- Applicable for Uponor wall seal PWP (pressurized water)
- "Dimension" - refers to pipe jacket diameter



About Uponor Ecoflex fibre cement pipe PWP

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex fibre cement pipe PWP 175

1007371



Measurements

Inner_diameter_di	250
LENGTH_L	400
Outer Diameter_do	300

Product code

Item no EAN	4021598100923
Item no GF	35001007371
Item no GTIN	04021598100923
Item no VVS	087913817

Dimensions

Item Unit Height	294
Item Unit Length	402
Item Unit Weight	16,254
Item Unit Width	294
Item_UOM	pce

Status

MTO (longer delivery times) Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1	06414905252473
Packaging GTIN PL4	06414900564489
Packaging Height PL1	294
Packaging Height PL4	950
Packaging Length PL1	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	24
Packaging Type PL1	PIECE
Packaging Type PL4	PALLET

Packaging Volume PL1	0,0345744
Packaging Volume PL4	0,912
Packaging Weight PL1	16,254
Packaging Weight PL4	415,096
Packaging Width PL1	294
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb