


## Uponor Ecoflex fibre cement pipe PWP 200

1007372

- Embed in a brick wall or concrete wall
- Alternative to water-proof concrete core hole
- Applicable for Uponor wall seal PWP (pressurized water)
- "Dimension" - refers to pipe jacket diameter



### About Uponor Ecoflex fibre cement pipe PWP

#### Specification

- All accessories are corrosion resistant.

#### Application


- Ecoflex accessories are designed for all below ground buried installations

#### Certification

-

## Uponor Ecoflex fibre cement pipe PWP 200

1007372



### Measurements

Inner_diameter_di	300
LENGTH_L	400
Outer Diameter_do	350

### Product code

Item no EAN	4021598100930
Item no GF	35001007372
Item no GTIN	04021598100930
Item no VVS	087913820

### Dimensions

Item Unit Height	350
Item Unit Length	400
Item Unit Weight	19,889
Item Unit Width	350
Item_UOM	pce

### Status

MTO (longer delivery times) Item available on request, minimum lead time 2 weeks

### Packaging

Packaging GTIN PL1	06414900564526
Packaging GTIN PL4	06414900564519
Packaging Height PL1	350
Packaging Height PL4	950
Packaging Length PL1	400
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	12
Packaging Type PL1	PIECE
Packaging Type PL4	PALLET

Packaging Volume PL1	0,049
Packaging Volume PL4	0,912
Packaging Weight PL1	19,889
Packaging Weight PL4	263,668
Packaging Width PL1	350
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)