
Product data sheet



GF Uponor Smart Radi bend support 25/20

1009008

- Made of white plastic.
- For radiator connections from the floor with PE-Xa and MLC pipes in dimension 16.
- Dividable, for conduit 25/20 mm.
- Min. c/c 40 mm, including 5 mm distance.



About GF Uponor Smart Radi bend support

Specification

- Suitable for coated copper pipes (15 × 1 mm), MLCP 16 × 2 mm, PE-Xa and MLC connection lines
- Components made of tin-plated brass, coated brass, coated copper, polystyrene, and PP
- Compatible with S-Press, Q&E, clamp compression adapters and Eurocone interfaces


If not different mentionned:
- Fire-rated cover plates to BS EN 13501-1 (depending on model)
- Q&E rings must be ordered separately if not differently mentioned

Application

- Connecting radiators to Uponor MLCP or Uni Pipe PLUS heating circuits
- Providing stable, aligned flow and return lines using dedicated adapters and connection boxes
- Interfacing with radiator valves via system-specific compression sets (Danfoss, Heimeier, Oventrop)
- Protecting and guiding pipes at wall or floor penetrations with cover plates and protective sleeves

GF Uponor Smart Radi bend support 25/20

1009008



Product code

Item no EAN	7321500022983
Item no GF	35001009008
Item no GTIN	07321500022983
Item no LVI	2072085
Item no NOBB	41946637
Item no NRF	8362154
Item no RSK	1870155
Item no VVS	087255125

Dimensions

Item Unit Height	110
Item Unit Length	115
Item Unit Weight	0,06
Item Unit Width	35
Item_UOM	pce

Measurements

LENGTH_L	100
Length (l1)	20,5
Z Measurement b	41
Z Measurement b1	24
Z Measurement b2	46
Z Measurement h	122
Z Measurement h1	28
Z Measurement w	30

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1	06414905434428
Packaging GTIN PL4	06414905488148
Packaging Height PL1	125
Packaging Height PL4	940
Packaging Length PL1	315
Packaging Length PL4	1200
Packaging Material (number) PL1	4
Packaging Material PL1	Low density polyethylene
Packaging Material (short) PL1	LDPE
Packaging Quantity PL1	10
Packaging Quantity PL4	750
Packaging Type PL1	Plastic_Bag
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00945
Packaging Volume PL4	0,9024
Packaging Weight PL1	0,65
Packaging Weight PL4	73,75
Packaging Width PL1	240
Packaging Width PL4	800

Technical data

Recycling Text Block PL1	Low density polyethylene

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+