


Uponor Smart Radi cover plate dividable 16 white

1011370

- Escutcheon cover made of white polypropylene
- For Uponor Uni-Pipe PLUS and MLC pipes to cover wall or floor penetrations around pipes
- Required distance between two snap rings (pipe centre - centre), e.g. for supply and return heating lines - approx. 50 mm.
- Fire class E acc. to BS EN 13501-1.



About Uponor Smart Radi cover plate dividable

Specification

- Suitable for coated copper pipes (15 × 1 mm), MLCP 16 × 2 mm, PE-Xa and MLC connection lines
- Components made of tin-plated brass, coated brass, coated copper, polystyrene, and PP
- Compatible with S-Press, Q&E, clamp compression adapters and Eurocone interfaces

If not different mentioned:


- Fire-rated cover plates to BS EN 13501-1 (depending on model)
- Q&E rings must be ordered separately if not differently mentioned

Application

- Connecting radiators to Uponor MLCP or Uni Pipe PLUS heating circuits
- Providing stable, aligned flow and return lines using dedicated adapters and connection boxes
- Interfacing with radiator valves via system-specific compression sets (Danfoss, Heimeier, Oventrop)
- Protecting and guiding pipes at wall or floor penetrations with cover plates and protective sleeves

Uponor Smart Radi cover plate dividable 16 white

1011370



Measurements

| | |
|-------------------|----|
| Inner_diameter_di | 17 |
| Outer Diameter_do | 47 |
| Z Measurement h | 12 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 4021598700291 |
| Item no GF | 35001011370 |
| Item no GTIN | 04021598700291 |
| Item no LVI | 1724893 |
| Item no VVS | 015229116 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 12 |
| Item Unit Length | 45 |
| Item Unit Weight | 0,003 |
| Item Unit Width | 45 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414905434787 |
| Packaging GTIN PL2 | 06414900370615 |
| Packaging GTIN PL4 | 06414900325684 |
| Packaging Height PL1 | 105 |
| Packaging Height PL2 | 360 |
| Packaging Height PL4 | 1819 |
| Packaging Length PL1 | 150 |
| Packaging Length PL2 | 485 |
| Packaging Length PL4 | 1200 |
| Packaging Quantity PL1 | 50 |
| Packaging Quantity PL2 | 1350 |

| | |
|------------------------|------------|
| Packaging Quantity PL4 | 27000 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL2 | Medium_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00165375 |
| Packaging Volume PL2 | 0,061983 |
| Packaging Volume PL4 | 1,74624 |
| Packaging Weight PL1 | 0,16 |
| Packaging Weight PL2 | 4,42 |
| Packaging Weight PL4 | 113,4 |
| Packaging Width PL1 | 105 |
| Packaging Width PL2 | 355 |
| Packaging Width PL4 | 800 |

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb