
Product data sheet



GF Uponor Teck conduit, black 35/29 50m

1012869

- corrugated conduit
- colour: black



About GF Uponor Teck conduit, black

Specification


- Corrugated, made of high density polyethylene (HDPE)
- Fire class E acc. to BS EN 13501-1
- Supplied in coils.

Application

- Used for pipe in pipe (PIP) installations to reduce the risk for water damages and allow for the bflexible media pipe to be replaced

GF Uponor Teck conduit, black 35/29 50m

1012869



Measurements

Inner_diameter_di	29
Outer Diameter_do	35

Product code

Item no EAN	4021598018280
Item no GF	35001012869
Item no GTIN	04021598018280

Dimensions

Item Unit Height	35
Item Unit Length	1000
Item Unit Weight	0,1
Item Unit Width	35
Item_UOM	m

Packaging

Packaging GTIN PL1	06414905434886
Packaging GTIN PL4	06414905488438
Packaging Height PL1	290
Packaging Height PL4	2150
Packaging Length PL1	560
Packaging Length PL4	1130
Packaging Quantity PL1	50
Packaging Quantity PL4	1400
Packaging Type PL1	Coil
Packaging Type PL4	Pallet
Packaging Volume PL1	0,090944
Packaging Volume PL4	2,745335

Packaging Weight PL1	5
Packaging Weight PL4	152
Packaging Width PL1	560
Packaging Width PL4	1130

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+