


## Uponor S-Press PLUS pressure test plug O-ring 40

1013804

- spare sealing O-ring for pressure testing plug



### About Uponor S-Press PLUS pressure test plug O-ring

#### Specification

- Tools for MLC, PEX and plastic pipes
- Supports multiple diameter ranges
- Manual and mechanical tool options
- Designed for precise, clean pipe preparation

#### Application

- Cutting MLC, PEX and plastic pipes
- Deburring and bevelling pipe ends before pressing
- Manual and guided pipe bending
- Preparation of pipes for press and expansion systems

## Uponor S-Press PLUS pressure test plug O-ring 40

1013804



### Measurements

|                   |      |
|-------------------|------|
| Inner_diameter_di | 27,3 |
| Outer Diameter_do | 2    |

### Product code

|              |                |
|--------------|----------------|
| Item no EAN  | 4021598036499  |
| Item no GF   | 35001013804    |
| Item no GTIN | 04021598036499 |
| Item no RSK  | 1897965        |

### Dimensions

|                  |       |
|------------------|-------|
| Item Unit Height | 2     |
| Item Unit Length | 32    |
| Item Unit Weight | 0,001 |
| Item Unit Width  | 32    |
| Item_UOM         | pce   |

### Status

|                             |  |
|-----------------------------|--|
| MTO (longer delivery times) | Item available on request, minimum lead time 2 weeks |
|-----------------------------|--|

### Packaging

|                        |                |
|------------------------|----------------|
| Packaging GTIN PL1     | 06414905435272 |
| Packaging Height PL1   | 10             |
| Packaging Length PL1   | 45             |
| Packaging Quantity PL1 | 10             |
| Packaging Type PL1     | Plastic_Bag    |
| Packaging Volume PL1   | 0,00007875     |
| Packaging Weight PL1   | 0,02           |
| Packaging Width PL1    | 175            |

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com