


Uponor Uni-X compression adapter plated MLC UK 16-15mmFT

1013806

- For connection of Uni-Pipe PLUS and MLC to standard compression fitting bodies to BS EN 1254-2
- Demountable and resealable
- Union nut and insert
- Pipe must be calibrated, no bevel
- Note, threads on fitting body must be checked to confirm suitable length to accommodate the necessary number of turns for the nut



About Uponor Uni-X compression adapter plated MLC UK

Specification

- Compression fittings with eurocone and metric connections
- Made of brass or tin-plated brass depending on variant
- Compatible with Uponor Uni Pipe PLUS and MLC pipes
- Female and male thread options according to EN ISO 228-1
- No bevel required for installation


Application

For connection of

- drinking water systems
- heating systems
- radiant heating and cooling systems

Uponor Uni-X compression adapter plated MLC UK 16-15mmFT

1013806



Measurements

Cylindric_thread_G	1/2
LENGTH_L	24,9
Length (l1)	16
z1	4,3

Product code

Item no EAN	4021598305311
Item no GTIN	04021598305311

Dimensions

Item Unit Height	25
Item Unit Length	25
Item Unit Weight	0,057
Item Unit Width	25
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905634781
Packaging GTIN PL3	06414905258147
Packaging GTIN PL4	06414905258154
Packaging Height PL1	89
Packaging Height PL3	95
Packaging Height PL4	714
Packaging Length PL1	176
Packaging Length PL3	277
Packaging Length PL4	1200
Packaging Quantity PL1	20
Packaging Quantity PL3	80
Packaging Quantity PL4	7680
Packaging Type PL1	Base_Box

Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001049488
Packaging Volume PL3	0,004710385
Packaging Volume PL4	0,68544
Packaging Weight PL1	1,178
Packaging Weight PL3	4,812
Packaging Weight PL4	486,952
Packaging Width PL1	67
Packaging Width PL3	179
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb