
Product data sheet



GF Uponor Smart Radi adapter plated MT G1/2"-15CU l=350

1015425

- Made of plated copper pipe
- Copper pipe 15 x 1 mm with self sealing thread for the connection to radiator
- Fits to all Uponor press tap elbow MLC, press tap wall plate MLC and press female connection 1/2" MLC
- Connection to the radiator with the Uponor Eurocone compression adapter Cu, or standard BS EN 1254-2 compression fitting



About GF Uponor Smart Radi adapter plated MT

Specification

- Suitable for coated copper pipes (15 × 1 mm), MLCP 16 × 2 mm, PE-Xa and MLC connection lines
- Components made of tin-plated brass, coated brass, coated copper, polystyrene, and PP
- Compatible with S-Press, Q&E, clamp compression adapters and Eurocone interfaces


If not different mentionned:
- Fire-rated cover plates to BS EN 13501-1 (depending on model)
- Q&E rings must be ordered separately if not differently mentioned

Application

- Connecting radiators to Uponor MLCP or Uni Pipe PLUS heating circuits
- Providing stable, aligned flow and return lines using dedicated adapters and connection boxes
- Interfacing with radiator valves via system-specific compression sets (Danfoss, Heimeier, Oventrop)
- Protecting and guiding pipes at wall or floor penetrations with cover plates and protective sleeves

GF Uponor Smart Radi adapter plated MT G1/2"-15CU l=350

1015425



Measurements

Cylindric_thread_G	1/2
LENGTH_L	369
z1	356

Product code

Item no EAN	4021598501294
Item no GF	35001015425
Item no GTIN	04021598501294

Dimensions

Item Unit Height	25
Item Unit Length	367
Item Unit Weight	0,183
Item Unit Width	25
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905436545
Packaging GTIN PL4	06414905490059
Packaging Height PL1	110
Packaging Height PL4	600
Packaging Length PL1	360
Packaging Length PL4	1200
Packaging Material (number) PL1	20
Packaging Material PL1	Corrugated fibreboard
Packaging Material (short) PL1	PAP
Packaging Quantity PL1	20
Packaging Quantity PL4	640

Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0102564
Packaging Volume PL4	0,576
Packaging Weight PL1	3,8
Packaging Weight PL4	121,6
Packaging Width PL1	259
Packaging Width PL4	800

Technical data

Recycling Text Block PL1	Corrugated fibreboard

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+