

## Uponor Ecoflex Thermo Pipe Single 40x3,7/175

1018111

- Heating and cooling
- One carrier pipe PE-Xa, SDR 11
- Max. load 6 bar / 80°C
- PEX foam, HDPE casing



### About Uponor Ecoflex Thermo Pipe Single

#### Specification

- Heating and Cooling
- PE-Xa carrier pipe with oxygen barrier, SDR 11
- Max. load 6 bar / 80°C
- PEX foam, HDPE casing

#### Application

- Buried services for the transport of heating or cooling water.
- Heating operating temperature 80°C based on BS EN 15632

#### Certification

-

## Uponor Ecoflex Thermo Pipe Single 40x3,7/175

1018111



### Measurements

Bending radius M	0,35
Outer Diameter_do	175
Outer Diameter_do1	40
Wall thickness_s1	3,7

### Product code

Item no EAN	6414905200450
Item no GF	35001018111
Item no GTIN	06414905200450
Item no LVI	3010214
Item no NOBB	41945275
Item no NRF	8360511
Item no RSK	2190558
Item no VVS	087807040

### Dimensions

Item Unit Height	175
Item Unit Length	1000
Item Unit Weight	2,03
Item Unit Width	175
Item_UOM	m

### Packaging

Packaging GTIN PL1	06414905437139
Packaging Height PL1	2400
Packaging Length PL1	1800
Packaging Quantity PL1	200
Packaging Type PL1	Coil
Packaging Volume PL1	10,368
Packaging Weight PL1	406

Packaging Width PL1

2400

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavillion  
WD18 8GA, Watford  
UK

T +44 (0)1923 381212

E  
customerservice.uk.bfs@georgfi  
scher.com