


Uponor Ecoflex wall sleeve set NPW 68+90

1018267

- For cast concrete and brick walls
- Applicable for NWP - no water pressurized area
- Contains PE pipe and shrink sleeve



About Uponor Ecoflex wall sleeve set NPW

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex wall sleeve set NPW 68+90

1018267



Measurements

Inner_diameter_di	95
LENGTH_L	550
Outer Diameter_do	110

Product code

Item no EAN	6414905254125
Item no GF	35001018267
Item no GTIN	06414905254125
Item no LVI	3010610
Item no NRF	8360921
Item no RSK	2282156
Item no VVS	087913090

Dimensions

Item Unit Height	110
Item Unit Length	550
Item Unit Weight	1
Item Unit Width	110
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905259366
Packaging Height PL1	110
Packaging Length PL1	550
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,006655
Packaging Weight PL1	1,01
Packaging Width PL1	110

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com