


Uponor Ecoflex wall sleeve set NPW 175+200

1018268

- For cast concrete and brick walls
- Applicable for NWP - no water pressurized area
- Contains PE pipe and shrink sleeve



About Uponor Ecoflex wall sleeve set NPW

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex wall sleeve set NPW 175+200

1018268



Measurements

| | |
|-------------------|-----|
| Inner_diameter_di | 218 |
| LENGTH_L | 550 |
| Outer Diameter_do | 250 |

Product code

| | |
|--------------|----------------|
| Item no EAN | 6414905254033 |
| Item no GF | 35001018268 |
| Item no GTIN | 06414905254033 |
| Item no LVI | 3010620 |
| Item no NRF | 8360922 |
| Item no RSK | 2282158 |
| Item no VVS | 087913248 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 250 |
| Item Unit Length | 550 |
| Item Unit Weight | 1,665 |
| Item Unit Width | 250 |
| Item_UOM | pce |

Status

| | |
|-----------------------------|--|
| MTO (longer delivery times) | Item available on request, minimum lead time 2 weeks |
|-----------------------------|--|

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900507844 |
| Packaging Height PL1 | 250 |
| Packaging Length PL1 | 550 |
| Packaging Quantity PL1 | 1 |
| Packaging Type PL1 | Plastic_Bag |
| Packaging Volume PL1 | 0,034375 |
| Packaging Weight PL1 | 1,697 |

Packaging Width PL1

250

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212

E
customerservice.uk.bfs@georgfi
scher.com