


Uponor Ecoflex wall sleeve set NPW 140

1018269

- For cast concrete and brick walls
- Applicable for NWP - no water pressurized area
- Contains PE pipe and shrink sleeve



About Uponor Ecoflex wall sleeve set NPW

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex wall sleeve set NPW 140

1018269



Measurements

Inner_diameter_di	175
LENGTH_L	550
Outer Diameter_do	200

Product code

Item no EAN	6414905254071
Item no GF	35001018269
Item no GTIN	06414905254071
Item no LVI	3010614
Item no NRF	8360923
Item no RSK	2282157
Item no VVS	087913172

Dimensions

Item Unit Height	200
Item Unit Length	550
Item Unit Weight	1,615
Item Unit Width	200
Item_UOM	pce

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks
-----------------------------	------------------------------------------------------

Packaging

Packaging GTIN PL1	06414905259397
Packaging Height PL1	203
Packaging Length PL1	550
Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,02266495
Packaging Weight PL1	1,623

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb