
Product data sheet




GF Uponor Wipex coupling PN6 40x3,7-G1 1/4

1018330

- Connection of PE-Xa or PE pipe
- 6 bar, SDR 11
- Parallel thread G" for O-ring sealing
- DZR - dezincification resistant brass





About GF Uponor Wipex coupling PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C


Certification

UK Reg4 approval
- WRAS or
- KIWA
To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

GF Uponor Wipex coupling PN6 40x3,7-G1 1/4

1018330





Measurements

Cylindric_thread_G	1 1/4
LENGTH_L	61
Length (l1)	16
Length (l2)	30
Wall thickness_s	3,7
z1	15

Product code

Item no EAN	7331541100021
Item no GF	35001018330
Item no GTIN	07331541100021
Item no LVI	1932040
Item no NOBB	41947216
Item no NRF	8362391
Item no RSK	2410666
Item no VVS	087883040

Dimensions

Item Unit Height	64
Item Unit Length	66
Item Unit Weight	0,436
Item Unit Width	49
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905259663
Packaging GTIN PL3	06414905259670
Packaging GTIN PL4	06414905259687

Packaging Height PL1	66
Packaging Height PL3	140
Packaging Height PL4	750
Packaging Length PL1	68
Packaging Length PL3	248
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	960
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000228888
Packaging Volume PL3	0,00479136
Packaging Volume PL4	0,72
Packaging Weight PL1	0,442
Packaging Weight PL3	4,455
Packaging Weight PL4	458,056
Packaging Width PL1	51
Packaging Width PL3	138
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+