


Uponor Wipex coupling PN6 50x4,6-G1 1/4

1018331

- Connection of PE-Xa or PE pipe
- 6 bar, SDR 11
- Parallel thread G" for O-ring sealing
- DZR - dezincification resistant brass



About Uponor Wipex coupling PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification

- UK Reg4 approval
 - WRAS or
 - KIWA
- To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Wipex coupling PN6 50x4,6-G1 1/4

1018331



Measurements

Cylindric_thread_G	1 1/4
LENGTH_L	68
Length (l1)	16
Length (l2)	37
Wall thickness_s	4,6
z1	16

Product code

Item no EAN	7331541100045
Item no GF	35001018331
Item no GTIN	07331541100045
Item no LVI	1932050
Item no NOBB	41947220
Item no NRF	8362392
Item no RSK	2410667
Item no VVS	087883050

Dimensions

Item Unit Height	69
Item Unit Length	67
Item Unit Weight	0,647
Item Unit Width	60
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905259694
Packaging GTIN PL3	06414905259700
Packaging GTIN PL4	06414905259717
Packaging Height PL1	72
Packaging Height PL3	140

Packaging Height PL4	750
Packaging Length PL1	68
Packaging Length PL3	248
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	960
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000308448
Packaging Volume PL3	0,00479136
Packaging Volume PL4	0,72
Packaging Weight PL1	0,657
Packaging Weight PL3	6,565
Packaging Weight PL4	665,224
Packaging Width PL1	63
Packaging Width PL3	138
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb