


Uponor Wipex coupling PN6 110x10,0-G3

1018335

- Connection of PE-Xa or PE pipe
- 6 bar, SDR 11
- Parallel thread G" for O-ring sealing
- DZR - dezincification resistant brass



About Uponor Wipex coupling PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application


- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification

- UK Reg4 approval
- WRAS or
 - KIWA
- To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Wipex coupling PN6 110x10,0-G3

1018335



Measurements

Cylindric_thread_G	3
LENGTH_L	118
Length (l1)	24
Length (l2)	72
Wall thickness_s	10
z1	22

Product code

Item no EAN	7331541100090
Item no GF	35001018335
Item no GTIN	07331541100090
Item no LVI	1932100
Item no NOBB	41947265
Item no NRF	8362396
Item no RSK	2410671
Item no VVS	087883091

Dimensions

Item Unit Height	117
Item Unit Length	140
Item Unit Weight	2,998
Item Unit Width	125
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905259823
Packaging GTIN PL3	06414905259830
Packaging GTIN PL4	06414905259847
Packaging Height PL1	120
Packaging Height PL3	155

Packaging Height PL4	800
Packaging Length PL1	143
Packaging Length PL3	272
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	3
Packaging Quantity PL4	144
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00219648
Packaging Volume PL3	0,01054
Packaging Volume PL4	0,768
Packaging Weight PL1	3,016
Packaging Weight PL3	9,326
Packaging Weight PL4	472,648
Packaging Width PL1	128
Packaging Width PL3	250
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb