


Uponor Wipex coupling PN10 90x12,3-G3

1018343

- Connection of PE-Xa or PE pipe
- 10 bar, SDR 7,4
- Parallel thread G" for O-ring sealing
- DZR - dezincification resistant brass



About Uponor Wipex coupling PN10

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Wipex coupling PN10 90x12,3-G3

1018343



Measurements

Cylindric_thread_G	3
LENGTH_L	105
Length (l1)	24
Length (l2)	59
Wall thickness_s	12,3
z1	22

Product code

Item no EAN	7331541100168
Item no GF	35001018343
Item no GTIN	07331541100168
Item no LVI	1932182
Item no NRF	8360677
Item no RSK	2410678
Item no VVS	087883190

Dimensions

Item Unit Height	110
Item Unit Length	130
Item Unit Weight	2,503
Item Unit Width	110
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905480760
Packaging GTIN PL3	06414905480777
Packaging Height PL1	112
Packaging Height PL3	145
Packaging Length PL1	132
Packaging Length PL3	268

Packaging Quantity PL1	1
Packaging Quantity PL3	4
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,001655808
Packaging Volume PL3	0,009715
Packaging Weight PL1	2,514
Packaging Weight PL3	10,192
Packaging Width PL1	112
Packaging Width PL3	250

Technical documents

[Download documents here](#)

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb