

Uponor Wipex tee G1 1/4-G1 1/4-G1 1/4

1018346

- Parallel thread G" with sealing O-ring
- 6 bar, SDR 11 / 10 bar, SDR 7,4
- DZR - dezincification resistant brass



About Uponor Wipex tee

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification

- UK Reg4 approval
 - WRAS or
 - KIWA
- To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Wipex tee G1 1/4-G1 1/4-G1 1/4

1018346



Measurements

Cylindric_thread_G	1 1/4
Length (l1)	42
Length (l2)	42
Length (l3)	42

Product code

Item no EAN	7331541098885
Item no GF	35001018346
Item no GTIN	07331541098885
Item no LVI	1933032
Item no NOBB	41945903
Item no NRF	8360701
Item no RSK	2410623
Item no VVS	087842010

Dimensions

Item Unit Height	55
Item Unit Length	83
Item Unit Weight	0,503
Item Unit Width	78
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905260096
Packaging GTIN PL3	06414905260102
Packaging GTIN PL4	06414905260119
Packaging Height PL1	87
Packaging Height PL3	140
Packaging Height PL4	700
Packaging Length PL1	85

Packaging Length PL3	248
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	10
Packaging Quantity PL4	960
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0005916
Packaging Volume PL3	0,00479136
Packaging Volume PL4	0,672
Packaging Weight PL1	0,506
Packaging Weight PL3	5,125
Packaging Weight PL4	523,72
Packaging Width PL1	80
Packaging Width PL3	138
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb