

Uponor Wipex flange F32/4-100/G1 1/4

1018360

- Parallel thread G" with sealing O-ring
- 6 bar, SDR 11 / 10 bar, SDR 7,4
- DZR - dezincification resistance brass



About Uponor Wipex flange

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification

UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Wipex flange F32/4-100/G1 1/4

1018360

**Measurements**

Cylindric_thread_G	1 1/4
Outer Diameter_do	140
Z Measurement k	100

Product code

Item no EAN	7331541099301
Item no GF	35001018360
Item no GTIN	07331541099301
Item no LVI	1938132
Item no NOBB	41946126
Item no NRF	8360752
Item no RSK	2410646
Item no VVS	087844032

Dimensions

Item Unit Height	28
Item Unit Length	140
Item Unit Weight	1,959
Item Unit Width	140
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905437900
Packaging GTIN PL3	06414905446728
Packaging GTIN PL4	06414905490714
Packaging Height PL1	31
Packaging Height PL3	145
Packaging Height PL4	700
Packaging Length PL1	143
Packaging Length PL3	272

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	5
Packaging Quantity PL4	240
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000633919
Packaging Volume PL3	0,0100572
Packaging Volume PL4	0,672
Packaging Weight PL1	1,964
Packaging Weight PL3	10,074
Packaging Weight PL4	508,552
Packaging Width PL1	143
Packaging Width PL3	255
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb