

## Uponor Wipex flange F50/4-125/G2

**1018362**

- Parallel thread G" with sealing O-ring
- 6 bar, SDR 11 / 10 bar, SDR 7,4
- DZR - dezincification resistance brass



### About Uponor Wipex flange

#### Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

#### Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

#### Certification

UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor Wipex flange F50/4-125/G2

1018362

**Measurements**

Cylindric_thread_G	2
Outer Diameter_do	165
Z Measurement k	125

**Product code**

Item no EAN	7331541099325
Item no GF	35001018362
Item no GTIN	07331541099325
Item no LVI	1938150
Item no NOBB	41946145
Item no NRF	8360754
Item no RSK	2410648
Item no VVS	087844050

**Dimensions**

Item Unit Height	22
Item Unit Length	165
Item Unit Weight	3,028
Item Unit Width	165
Item_UOM	pce

**Packaging**

Packaging GTIN PL1	06414905437924
Packaging GTIN PL3	06414905446742
Packaging GTIN PL4	06414905490721
Packaging Height PL1	25
Packaging Height PL3	145
Packaging Height PL4	700
Packaging Length PL1	168
Packaging Length PL3	272

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	4
Packaging Quantity PL4	192
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0007056
Packaging Volume PL3	0,0100572
Packaging Volume PL4	0,672
Packaging Weight PL1	3,043
Packaging Weight PL3	12,337
Packaging Weight PL4	617,19
Packaging Width PL1	168
Packaging Width PL3	255
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E enquiries.uk@uponor.com

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)