

## Uponor Wipex reducer male x female G2-G1

**1018371**

- Material: brass
- Female & male thread



### About Uponor Wipex reducer male x female

#### Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

#### Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

#### Certification

- UK Reg4 approval
- WRAS or
  - KIWA
- To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor Wipex reducer male x female G2-G1

1018371

**Measurements**

Cylindric_thread_G	2
Cylindric_thread_G1	1
LENGTH_L	41
z1	21

**Product code**

Item no EAN	7331541099042
Item no GF	35001018371
Item no GTIN	07331541099042
Item no LVI	1934040
Item no NOBB	41946043
Item no NRF	8360733
Item no RSK	2410638
Item no VVS	087836165

**Dimensions**

Item Unit Height	80
Item Unit Length	42
Item Unit Weight	0,406
Item Unit Width	38
Item_UOM	pce

**Packaging**

Packaging GTIN PL1	06414905437986
Packaging GTIN PL3	06414905446803
Packaging Height PL1	83
Packaging Height PL3	145
Packaging Length PL1	45
Packaging Length PL3	250
Packaging Quantity PL1	1

Packaging Quantity PL3	15
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,0002988
Packaging Volume PL3	0,0050025
Packaging Weight PL1	0,41
Packaging Weight PL3	6,326
Packaging Width PL1	80
Packaging Width PL3	138

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)