

## Uponor Wipex reducer male x female G2-G1 1/4

**1018372**

- Material: brass
- Female & male thread



### About Uponor Wipex reducer male x female

#### Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

#### Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

#### Certification

UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor Wipex reducer male x female G2-G1 1/4

1018372

**Measurements**

Cylindric_thread_G	2
Cylindric_thread_G1	1 1/4
LENGTH_L	45
z1	25

**Product code**

Item no EAN	7331541098960
Item no GF	35001018372
Item no GTIN	07331541098960
Item no LVI	1934050
Item no NOBB	41946058
Item no NRF	8360734
Item no RSK	2410639
Item no VVS	087836166

**Dimensions**

Item Unit Height	46
Item Unit Length	75
Item Unit Weight	0,448
Item Unit Width	75
Item_UOM	pce

**Packaging**

Packaging GTIN PL1	06414905437993
Packaging GTIN PL3	06414905446810
Packaging Height PL1	49
Packaging Height PL3	145
Packaging Length PL1	78
Packaging Length PL3	250
Packaging Quantity PL1	1

Packaging Quantity PL3	15
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,000298116
Packaging Volume PL3	0,0050025
Packaging Weight PL1	0,453
Packaging Weight PL3	6,807
Packaging Width PL1	78
Packaging Width PL3	138

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)