
Product data sheet



GF Uponor Ecoflex shrink sleeve 175/200

1018380

- Sealing pipe casing with chamber or other casing outlets



About GF Uponor Ecoflex shrink sleeve

Specification

- All accessories are corrosion resistant.

Application


- Ecoflex accessories are designed for all below ground buried installations

Certification

-

GF Uponor Ecoflex shrink sleeve 175/200

1018380



Measurements

Inner_diameter_di1	270
Inner_diameter_di2	160
LENGTH_L	300

Product code

Item no EAN	4021598112117
Item no GF	35001018380
Item no GTIN	04021598112117
Item no NRF	8361416
Item no RSK	2282155
Item no VVS	087817175

Dimensions

Item Unit Height	4
Item Unit Length	404
Item Unit Weight	0,55
Item Unit Width	224
Item_UOM	pce

Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks

Packaging

Packaging GTIN PL1	06414905633258
Packaging Height PL1	5
Packaging Length PL1	407
Packaging Material (number) PL1	4
Packaging Material PL1	Low density polyethylene
Packaging Material (short) PL1	LDPE

Packaging Quantity PL1	1
Packaging Type PL1	Plastic_Bag
Packaging Volume PL1	0,000461945
Packaging Weight PL1	0,60
Packaging Width PL1	227

Technical data

Recycling Text Block PL1	Low density polyethylene

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+