


Uponor Q&E adapter for soldering PL 20-15CU

1023041

- Adapter to solder onto copper pipe acc. to EN 1057



About Uponor Q&E adapter for soldering PL

Specification

- Q&E fittings and rings for Uponor PE-Xa pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of PPSU
- Q&E rings must be ordered separately
- Threads acc. To BS EN 10226-1


Application

For connection of

- drinking water systems
- heating systems
- radiant heating and cooling systems

Uponor Q&E adapter for soldering PL 20-15CU

1023041



Product code

Item no EAN	7331541032841
Item no GF	35001023041
Item no GTIN	07331541032841

Dimensions

Item Unit Height	24
Item Unit Length	38
Item Unit Weight	0,041
Item Unit Width	24
Item_UOM	pce

Measurements

LENGTH_L	38
Length (l1)	13
Length (l2)	22
z1	3

Technical data

Recycling Text Block PL1	plastic film / film plastico
Recycling Text Block PL3	corrugated cardboard / cartone

Packaging

Packaging GTIN PL1	06414900550734
Packaging GTIN PL3	06414905261666
Packaging GTIN PL4	06414905261673
Packaging Height PL1	30
Packaging Height PL3	95
Packaging Height PL4	714
Packaging Length PL1	120
Packaging Length PL3	277
Packaging Length PL4	1200

Packaging Material (number) PL1	04
Packaging Material (number) PL3	20
Packaging Material PL1	plastic film / film plastico
Packaging Material PL3	corrugated cardboard / cartone
Packaging Material (short) PL1	LDPE
Packaging Material (short) PL3	PAP_C
Packaging Quantity PL1	5
Packaging Quantity PL3	100
Packaging Quantity PL4	9600
Packaging Type PL1	POUCH
Packaging Type PL3	BOX
Packaging Type PL4	PALLET
Packaging Volume PL1	0,0000000001
Packaging Volume PL3	0,004710
Packaging Volume PL4	0,68544
Packaging Weight PL1	0,207
Packaging Weight PL3	4,240
Packaging Weight PL4	432,04
Packaging Width PL1	200
Packaging Width PL3	179
Packaging Width PL4	800

Status

Until stocks last

Until stocks last

Technical documents

Download documents here

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb