


## Uponor RS adapter S-Press 63-RS2

**1029125**

- Made of tin-plated brass
- Inspection windows on press sleeve
- Select the adapter based on the pipe size and then select the corresponding RS2 or RS3 base part.



### About Uponor RS adapter S-Press

#### Specification

- Tin-plated brass
- Fixed press sleeve with inspection windows
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

#### Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

#### Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor RS adapter S-Press 63-RS2

1029125



### Product code

Item no EAN	4021598106628
Item no GF	35001029125
Item no GTIN	04021598106628
Item no NRF	5071233
Item no VVS	045450063

### Dimensions

Item Unit Height	70
Item Unit Length	92
Item Unit Weight	0,57
Item Unit Width	70
Item_UOM	pce

### Measurements

LENGTH_L	87,8
Length (l1)	20
Length (l2)	60,7
z1	7,1

### Packaging

Packaging GTIN PL1	06414905263776
Packaging GTIN PL4	06414905263783
Packaging Height PL1	100
Packaging Height PL4	680
Packaging Length PL1	96
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	400
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,0008832
Packaging Volume PL4	0,6528
Packaging Weight PL1	0,68
Packaging Weight PL4	252
Packaging Width PL1	92
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)