


Uponor RS flange adapter RS3-DN80 (PN16)

1029129

- Made of tin-plated brass
- Connects to RS2 or RS3 base parts depending on the flange size or base part size
- Flange PN6/PN16 acc. to BS EN 1092-3
- Bolt circle with 4/8 holes.



About Uponor RS flange adapter

Specification

- Tin-plated brass
- Fixed press sleeve with inspection windows
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

Certification

UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor RS flange adapter RS3-DN80 (PN16)

1029129



Measurements

Inner_diameter_di	78,1
LENGTH_L	45
Outer Diameter_do	200
Z Measurement k	160
z1	25

Product code

Item no EAN	4021598106666
Item no GF	35001029129
Item no GTIN	04021598106666
Item no LVI	1720833
Item no NRF	5071245
Item no RSK	1899498
Item no VVS	045458080

Dimensions

Item Unit Height	46
Item Unit Length	200
Item Unit Weight	4,452
Item Unit Width	200
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414905481323
Packaging GTIN PL4	06414905481330
Packaging Height PL1	54
Packaging Height PL4	900
Packaging Length PL1	250
Packaging Length PL4	1200
Packaging Quantity PL1	1

Packaging Quantity PL4	90
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0031725
Packaging Volume PL4	0,864
Packaging Weight PL1	4,62
Packaging Weight PL4	429,687
Packaging Width PL1	235
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb