


## Uponor RS adapter male thread R3"MT-RS3

**1029133**

- Made of tin plated brass
- Connects RS base parts RS2 or RS3 depending on connection thread size.



### About Uponor RS adapter male thread

#### Specification

- Tin-plated brass
- Fixed press sleeve with inspection windows
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

#### Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.


#### Certification

- UK Reg4 approval
- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor RS adapter male thread R3"MT-RS3

1029133



### Product code

Item no EAN	4021598106703
Item no GF	35001029133
Item no GTIN	04021598106703
Item no LVI	1720828
Item no NRF	5071239
Item no RSK	1899493
Item no VVS	045451114

### Dimensions

Item Unit Height	74
Item Unit Length	90
Item Unit Weight	0,826
Item Unit Width	90
Item_UOM	pce

### Measurements

LENGTH_L	72,6
Length (l1)	20
Length (l2)	29,8
Male_thread_R	3
z1	22,8

### Packaging

Packaging GTIN PL1	06414905523320
Packaging GTIN PL4	06414905523337
Packaging Height PL1	115
Packaging Height PL4	715
Packaging Length PL1	115
Packaging Length PL4	1200
Packaging Quantity PL1	1

Packaging Quantity PL4	240
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00171925
Packaging Volume PL4	0,6864
Packaging Weight PL1	0,926
Packaging Weight PL4	222,12
Packaging Width PL1	130
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)