


## Uponor RS elbow RS2-RS2

**1029138**

- Made of tin-plated brass
- Base part for RS2 or RS3 adapters or fittings - includes 2 lock pins.



### About Uponor RS elbow

#### Specification

- Tin-plated brass
- Fixed press sleeve with inspection windows
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

#### Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.


#### Certification

- UK Reg4 approval
- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor RS elbow RS2-RS2

1029138



### Product code

Item no EAN	4021598106758
Item no GF	35001029138
Item no GTIN	04021598106758
Item no LVI	1720811
Item no NRF	5071221
Item no RSK	1896578
Item no VVS	045453112

### Dimensions

Item Unit Height	69
Item Unit Length	84
Item Unit Weight	0,538
Item Unit Width	84
Item_UOM	pce

### Measurements

Length (I1)	51
Length (I2)	51

### Packaging

Packaging GTIN PL1	06414905439454
Packaging GTIN PL4	06414905491360
Packaging Height PL1	81
Packaging Height PL4	680
Packaging Length PL1	150
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	336
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet

Packaging Volume PL1	0,00139725
Packaging Volume PL4	0,6528
Packaging Weight PL1	0,602
Packaging Weight PL4	202,28
Packaging Width PL1	115
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)