


Uponor RS tee RS2-RS2-RS2

1029142

- Made of tin-plated brass
- Base part for RS2 or RS3 adapters or fittings - includes 2 lock pins.



About Uponor RS tee

Specification

- Tin-plated brass
- Fixed press sleeve with inspection windows
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.


Certification

- UK Reg4 approval
- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor RS tee RS2-RS2-RS2

1029142



Product code

Item no EAN	4021598106796
Item no GF	35001029142
Item no GTIN	04021598106796
Item no LVI	1720815
Item no NRF	5071225
Item no RSK	1808049
Item no VVS	045455112

Dimensions

Item Unit Height	74
Item Unit Length	101
Item Unit Weight	0,78
Item Unit Width	88
Item_UOM	pce

Measurements

Length (l1)	51
Length (l2)	51
Length (l3)	51

Packaging

Packaging GTIN PL1	06414905439492
Packaging GTIN PL4	06414905491407
Packaging Height PL1	80
Packaging Height PL4	680
Packaging Length PL1	150
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	336
Packaging Type PL1	Base_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,001332
Packaging Volume PL4	0,6528
Packaging Weight PL1	0,84
Packaging Weight PL4	282,24
Packaging Width PL1	111
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb