


## Uponor Magna manifold flowmeter

**1030134**

- With shut-off function
- Made of fibreglass reinforced Polyamide



### About Uponor Magna manifold flowmeter

#### Specification


- Magna industrial heating system
- Loops 2-5 6-9 10-14 15-19 20
- Bracket 2 3 4 5 6
- Spacing outlet 100 mm

#### Application

- industrial and commercial large surface heating
- for use inside concrete
- max. 20 loops
- max. pressure: 6 bar at 60°C

## Uponor Magna manifold flowmeter

1030134



### Product code

Item no EAN	4021598113794
Item no GF	35001030134
Item no GTIN	04021598113794
Item no LVI	2024103
Item no NOBB	48328083
Item no NRF	8601844
Item no RSK	2419274
Item no VVS	046266020

### Dimensions

Item Unit Height	35
Item Unit Length	125
Item Unit Weight	0,048
Item Unit Width	35
Item_UOM	pce

### Status

MTO (longer delivery times)	Item available on request, minimum lead time 2 weeks
-----------------------------	--

### Packaging

Packaging GTIN PL1	06414905263899
Packaging GTIN PL3	06414905263905
Packaging GTIN PL4	06414905263912
Packaging Height PL1	145
Packaging Height PL3	90
Packaging Height PL4	1500
Packaging Length PL1	38
Packaging Length PL3	360
Packaging Length PL4	1200
Packaging Quantity PL1	1

Packaging Quantity PL3	20
Packaging Quantity PL4	800
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00020938
Packaging Volume PL3	0,005994
Packaging Volume PL4	1,44
Packaging Weight PL1	0,098
Packaging Weight PL3	2,01
Packaging Weight PL4	105,4
Packaging Width PL1	38
Packaging Width PL3	185
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)