

Uponor Ecoflex conduit angle 175/140

1030269

- Conduit for Ecoflex pipe to enter through the floor of a building



About Uponor Ecoflex conduit angle

Specification

- All accessories are corrosion resistant.

Application

- Ecoflex accessories are designed for all below ground buried installations

Certification

-

Uponor Ecoflex conduit angle 175/140

1030269

**Measurements**

Inner_diameter_di	237,8
Outer Diameter_do	250
Wall thickness_s	6,1

Product code

Item no EAN	6414905230310
Item no GTIN	06414905230310
Item no LVI	3010862
Item no RSK	2190598
Item no VVS	087923175

Dimensions

Item Unit Height	250
Item Unit Length	1450
Item Unit Weight	12
Item Unit Width	1450
Item_UOM	pce

Packaging

Packaging GTIN PL4	06414905491445
Packaging Height PL4	600
Packaging Length PL4	1300
Packaging Quantity PL4	9
Packaging Type PL4	Pallet
Packaging Volume PL4	0,624
Packaging Weight PL4	133
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb