

Uponor Vario B end cap WGF G1

1032714

- Made of brass



About Uponor Vario B end cap WGF

Specification

- Made of brass
- With integrated valves
- Connection right or left with flat sealing supply
- With lockshield valve or flowmeter for balancing and shutoff
- no primary connection to combine it with the correct accessories
- Loop connection G3/4" eurocone
- Loop distance 50 mm
- Bracket distance 210 mm

Application

- For underfloor heating and cooling
- Combineable with actuators FT 30x1,5
- Max. pressure: 6 bar at 60°C

Uponor Vario B end cap WGF G1

1032714



Status

Item Available Till date

2028-12-31T00:00:00.000+0100

Product code

Item no EAN	7318792564406
Item no GTIN	07318792564406
Item no LVI	2025052
Item no NOBB	41947443
Item no NRF	8362453
Item no RSK	2418604
Item no VVS	046268108

Dimensions

Item Unit Height	80
Item Unit Length	150
Item Unit Weight	0,52
Item Unit Width	40
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905439737
Packaging Height PL1	80
Packaging Length PL1	95
Packaging Quantity PL1	1
Packaging Type PL1	Base_Box
Packaging Volume PL1	0,000608
Packaging Weight PL1	0,55
Packaging Width PL1	80

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb