

## Uponor Aqua Pipe natural Aenor PN6, S 50x4,6 5m

1033485

- Operating pressure 6 bar
- Bar



### About Uponor Aqua Pipe natural Aenor PN6, S

#### Specification

- Pipes manufactured from cross-linked polyethylene - PE-Xa acc. BS EN ISO 15875
- Application class 1 & 2 - Hot water supply
- Fire class E according to BS EN 13501-1.
- Conduits manufactured from high density polyethylene

#### Application

- Hot water services - where the water temperature does not continuously exceed 70°C, maximum design pressure of 6 bar (conditions to class 2 - BS EN ISO 15875-1:2003). The maximum short-term malfunction temperature is 95°C for an accumulative 100 hours over the working life of the system.
- Cold water services <20 °C - where the maximum system pressure does not exceed the maximum operating pressure of 10 bar.
- Uponor Q&E Shrink-fit system can be used for DHW recirculating systems, provided the operating temperatures and pressures do not exceed the maximum conditions detailed under 'Hot water services'

## Uponor Aqua Pipe natural Aenor PN6, S 50x4,6 5m

1033485



### Product code

Item no EAN 7321500046156

Item no GTIN 07321500046156

### Dimensions

Item Unit Height 50

Item Unit Length 1000

Item Unit Weight 0,654

Item Unit Width 50

Item\_UOM m

### Measurements

Outer Diameter\_do 50

Wall thickness\_s 4,6

### Packaging

Packaging GTIN PL2 06414905265756

Packaging GTIN PL4 06414905265763

Packaging Height PL2 50

Packaging Height PL4 2500

Packaging Length PL2 5000

Packaging Length PL4 3100

Packaging Quantity PL2 10

Packaging Quantity PL4 550

Packaging Type PL2 Bag

Packaging Type PL4 Wooden\_Cage

Packaging Volume PL2 0,025

Packaging Volume PL4 19,375

Packaging Weight PL2 6,54

Packaging Weight PL4 384,7

Packaging Width PL2 100

Packaging Width PL4

2500

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)