
Product data sheet



GF Uponor Q&E valve, with handle 32-32

1038429

- Made of DR brass (lead-free)



About GF Uponor Q&E valve, with handle

Specification


- Q&E fittings and rings for Uponor PE-Xa pipes
- Metal fittings are made of high quality brass
- Plastic fittings are made of PPSU
- Q&E rings must be ordered separately
- Threads acc. To BS EN 10226-1

Application

For connection of
- drinking water systems
- heating systems
- radiant heating and cooling systems

GF Uponor Q&E valve, with handle 32-32

1038429



Product code

Item no EAN	6414905516445
Item no GTIN	06414905516445

Dimensions

Item Unit Height	85
Item Unit Length	150
Item Unit Weight	0,68
Item Unit Width	125
Item_UOM	pce

Measurements

LENGTH_L	112,5
Length (l1)	19
Length (l2)	25,5
z1	48,5

Packaging

Packaging GTIN PL1	06414905458684
Packaging GTIN PL3	06414905448111
Packaging GTIN PL4	06414905492176
Packaging Height PL1	85
Packaging Height PL3	120
Packaging Height PL4	1224
Packaging Length PL1	150
Packaging Length PL3	240
Packaging Length PL4	1200
Packaging Material (number) PL3	20
Packaging Material PL3	Corrugated fibreboard

Packaging Material (short) PL3	PAP
Packaging Quantity PL1	1
Packaging Quantity PL3	5
Packaging Quantity PL4	1110
Packaging Type PL1	Base_Box
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00159375
Packaging Volume PL3	0,004176
Packaging Volume PL4	1,17504
Packaging Weight PL1	0,78
Packaging Weight PL3	4,062
Packaging Weight PL4	926,764
Packaging Width PL1	125
Packaging Width PL3	145
Packaging Width PL4	800

Technical data

Recycling Text Block PL3	Corrugated fibreboard

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+