


## Uponor S-Press tee reducer PPSU 50-25-50

**1039968**

- Fast installation with easy bevel and without need for calibration
- Inspection windows on press sleeve
- Colour code



### About Uponor S-Press tee reducer PPSU

#### Specification

- Tin-plated brass or PPSU
- With fixed press sleeve
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

#### Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.

#### Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor S-Press tee reducer PPSU 50-25-50

1039968



### Product code

Item no EAN	6414905229062
Item no GF	35001039968
Item no GTIN	06414905229062
Item no LVI	1720725
Item no NRF	5114424
Item no RSK	1808004
Item no VVS	087442148

### Dimensions

Item Unit Height	88.7
Item Unit Length	145.2
Item Unit Weight	0,21722
Item Unit Width	55.4
Item_UOM	pce

### Measurements

Length (l1)	72,6
Length (l2)	61
Length (l3)	72,6
z1	33,7
z2	32,7
z3	33,7

### Packaging

Packaging GTIN PL1	06414905480296
Packaging GTIN PL4	06414905480302
Packaging Height PL1	185
Packaging Height PL4	699
Packaging Length PL1	185
Packaging Length PL4	1200

Packaging Quantity PL1	3
Packaging Quantity PL4	432
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0031487
Packaging Volume PL4	0,67104
Packaging Weight PL1	0,722
Packaging Weight PL4	127,919
Packaging Width PL1	92
Packaging Width PL4	800

## Technical documents

[Download documents here](#) 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)