Product data sheet



GF Uponor Wipex jointing equal PN10 40x5,5-40x5,5

1042979

- Connection of PE-Xa or PE pipe
- 10 bar, SDR 7,4
- DZR - dezincification resistant brass





About GF Uponor Wipex jointing equal PN10

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification

UK Reg4 approval
- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

GF Uponor Wipex jointing equal PN10 40x5,5-40x5,5

1042979





Product code

Item no EAN	7331541200776
Item no GF	35001042979
Item no GTIN	07331541200776
Item no LVI	1932110
Item no NOBB	42496440
Item no NRF	8360783
Item no RSK	2410690
Item no VVS	087882140

Dimensions

Item Unit Height	70
Item Unit Length	55
Item Unit Weight	0,539
Item Unit Width	45
Item_UOM	pce

Measurements

LENGTH_L	72
Length (l1)	30
Length (l2)	29
Wall thickness_s	5,5
z1	13

Packaging

Packaging GTIN PL1	06414905299997
Packaging GTIN PL3	06414905400003
Packaging GTIN PL4	06414905400010
Packaging Height PL1	73

Packaging Height PL3	145
Packaging Height PL4	700
Packaging Length PL1	58
Packaging Length PL3	250
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	15
Packaging Quantity PL4	1200
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000203232
Packaging Volume PL3	0,00532875
Packaging Volume PL4	0,672
Packaging Weight PL1	0,543
Packaging Weight PL3	8,274
Packaging Weight PL4	671,8
Packaging Width PL1	48
Packaging Width PL3	147
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+