


Uponor Wipex jointing equal PN6 90x8,2-90x8,2

1042986

- Connection of PE-Xa or PE pipe
- 6bar, SDR 11
- DR - dezincification resistant brass



About Uponor Wipex jointing equal PN6

Specification

- Wipex fittings in corrosion-resistant brass, dezincification to BS EN ISO 6509 with stainless steel screw.
- Sizes 25-110mm, O-ring sealing between Wipex coupling and base fitting
- Sizes 125-160mm, threads must be sealed using a suitable sealing medium
- Bolt set for couplers in stainless steel with brass washer
- Pre-open sleeve design with assembled support part for the dimension 63-110mm.

Application

- Fittings for pipe systems Thermo, Aqua, Quattro, Supra, Supra PLUS and Thermo HP
- Connection of PE and PE-Xa carrier pipes to couplers
- Parallel G male thread
- Max. operating temperature 95°C

Certification


UK Reg4 approval

- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

Uponor Wipex jointing equal PN6 90x8,2-90x8,2

1042986



Product code

Item no EAN	7331541200844
Item no GF	35001042986
Item no GTIN	07331541200844
Item no LVI	1932107
Item no NOBB	42496644
Item no NRF	8360797
Item no RSK	2410699
Item no VVS	087882090

Dimensions

Item Unit Height	95
Item Unit Length	143
Item Unit Weight	3,619
Item Unit Width	110
Item_UOM	pce

Measurements

LENGTH_L	142
Length (l1)	59
Length (l2)	59
Wall thickness_s	8,2
z1	24

Packaging

Packaging GTIN PL1	06414905400201
Packaging GTIN PL3	06414905400218
Packaging GTIN PL4	06414905400225
Packaging Height PL1	99
Packaging Height PL3	145
Packaging Height PL4	700

Packaging Length PL1	147
Packaging Length PL3	268
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL3	4
Packaging Quantity PL4	180
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001659042
Packaging Volume PL3	0,009715
Packaging Volume PL4	0,672
Packaging Weight PL1	3,632
Packaging Weight PL3	14,656
Packaging Weight PL4	676,42
Packaging Width PL1	114
Packaging Width PL3	250
Packaging Width PL4	800

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb