


Uponor Uni-C bracket SH 3/4" 1"

1045451

- Supplied as a pair
- Made of galvanised steel, for fixture of 3/4" or 1" Uni-C manifolds
- Off-set between top and bottom rails to allow easy routing of pipework



About Uponor Uni-C bracket SH

Specification


- Modular brass manifold system with male threaded connections
- Components made of tin-plated or plated brass; brackets in galvanised steel
- Compatible with 1/2" Uni-C compression adapters for MLC and Uni Pipe PLUS pipes
- Thread standards according to EN ISO 228-1 / DIN
- System includes manifolds, valves, end caps, plugs, brackets, couplings, and adapters

Application

- Distribution and connection of tap water
- Manifold-based installations with male threaded connections
- Adaptation between Uponor pipe systems (Uni Pipe PLUS, MLC) and Uponor 1/2" threaded components
- Use in residential and light commercial installations
- Flexible system extension via manifolds, adapters, and accessories

Uponor Uni-C bracket SH 3/4" 1"

1045451



Product code

Item no EAN	6414905516476
Item no GF	35001045451
Item no GTIN	06414905516476

Dimensions

Item Unit Height	8
Item Unit Length	323
Item Unit Weight	0,41
Item Unit Width	25
Item_UOM	set

Packaging

Packaging GTIN PL1	06414905400409
Packaging GTIN PL3	06414905400416
Packaging Height PL1	10
Packaging Height PL3	215
Packaging Length PL1	325
Packaging Length PL3	340
Packaging Quantity PL1	1
Packaging Quantity PL3	25
Packaging Type PL1	Plastic_Bag
Packaging Type PL3	Box
Packaging Volume PL1	0,00008775
Packaging Volume PL3	0,0281435
Packaging Weight PL1	0,42
Packaging Weight PL3	11,29
Packaging Width PL1	27
Packaging Width PL3	385

Measurements

Wall thickness_s	4
Z Measurement b	20
Z Measurement b1	207
Z Measurement b2	63
Z Measurement h	78,7
Z Measurement h1	30,2
Z Measurement h2	60,3
Z Measurement k1	145
Z Measurement k2	15,9
Z Measurement w	322

Technical documents

Download documents here 

Uponor UK

Blackmor Lane The Pavilion
WD18 8GA, Watford
UK

T +44 (0)1923 927000
E enquiries.uk@uponor.com

www.uponor.com/en-gb