


## Uponor RS spacer RS3-RS3 l=5mm

### 1046751

- Made of tin plated brass
- Spacer to connect RS base parts of equal dimensions.



## About Uponor RS spacer

### Specification

- Tin-plated brass
- Fixed press sleeve with inspection windows
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

### Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.


### Certification

- UK Reg4 approval
- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

## Uponor RS spacer RS3-RS3 l=5mm

1046751



### Product code

Item no EAN	4021598113084
Item no GF	35001046751
Item no GTIN	04021598113084
Item no LVI	1720637
Item no NRF	5079086
Item no RSK	1877799
Item no VVS	045458305

### Dimensions

Item Unit Height	45
Item Unit Length	98
Item Unit Weight	0,568
Item Unit Width	98
Item_UOM	pce

### Measurements

LENGTH_L	45
Length (l1)	20
Length (l2)	20
z1	5

### Packaging

Packaging GTIN PL1	06414905460489
Packaging GTIN PL4	06414905493357
Packaging Height PL1	120
Packaging Height PL4	715
Packaging Length PL1	150
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL4	240

Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00234
Packaging Volume PL4	0,6864
Packaging Weight PL1	0,65
Packaging Weight PL4	156
Packaging Width PL1	130
Packaging Width PL4	800

## Technical documents

Download documents here 

### Uponor UK

Blackmor Lane The Pavilion  
WD18 8GA, Watford  
UK

T +44 (0)1923 927000  
E [enquiries.uk@uponor.com](mailto:enquiries.uk@uponor.com)

[www.uponor.com/en-gb](http://www.uponor.com/en-gb)