
Product data sheet



GF Uponor RS spacer RS3-RS3 l=5mm

1046751

- Made of tin plated brass
- Spacer to connect RS base parts of equal dimensions.



About GF Uponor RS spacer

Specification

- Tin-plated brass
- Fixed press sleeve with inspection windows
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.

Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.


Certification

UK Reg4 approval
- WRAS or
- KIWA

To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

GF Uponor RS spacer RS3-RS3 l=5mm

1046751



Product code

Item no EAN	4021598113084
Item no GF	35001046751
Item no GTIN	04021598113084
Item no LVI	1720637
Item no NRF	5079086
Item no RSK	1877799
Item no VVS	045458305

Dimensions

Item Unit Height	45
Item Unit Length	98
Item Unit Weight	0,568
Item Unit Width	98
Item_UOM	pce

Measurements

LENGTH_L	45
Length (l1)	20
Length (l2)	20
z1	5

Packaging

Packaging GTIN PL1	06414905460489
Packaging GTIN PL4	06414905493357
Packaging Height PL1	120
Packaging Height PL4	715
Packaging Length PL1	150
Packaging Length PL4	1200

Packaging Quantity PL1	1
Packaging Quantity PL4	240
Packaging Type PL1	Base_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00234
Packaging Volume PL4	0,6864
Packaging Weight PL1	0,65
Packaging Weight PL4	156
Packaging Width PL1	130
Packaging Width PL4	800

Technical documents

Download documents here

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor UK

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+