
# Product data sheet




# GF Uponor S-Press elbow female thread FT 40-Rp1 1/2"

## 1046910

- Made of tin-plated brass
- Fast installation with easy bevel and without need for calibration
- Inspection windows on press sleeve
- Colour code






## About GF Uponor S-Press elbow female thread FT

### Specification

- Tin-plated brass or PPSU
- With fixed press sleeve
- Stop ring
- Colour code
- Test safety
- Male and female threads to BS EN 10226-1

### Application

Tested/approved according to BS EN ISO 21003 Multilayer piping systems for hot and cold water installations inside buildings for application class 1,2,4,5/10bar

Domestic water services: The permanent operating temperature from 20°C to 70°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 95°C for a period of 100 hours in the operating life time.

Domestic cold water services : where the water temperature does not exceed 20°C at a maximum permanent operating pressure of 16bar.


Heating: The permanent operating temperature ranges up to 80°C at a maximum permanent operating pressure of 10 bar. The short-term malfunction temperature is 100°C for a period of 100 hours in the operating life time.


### Certification

UK Reg4 approval
- WRAS or
- KIWA
To meet the requirements of the Water Supply (Water Fittings) Regulations 1999

# GF Uponor S-Press elbow female thread FT 40-Rp1 1/2"

## 1046910






### Measurements

| | |
|---|---|
| Female thread Rp | 1 1/2 |
| Length (l1) | 59 |
| Length (l2) | 74,5 |
| z1 | 37,6 |
| Z2 | 36,8 |

### Product code

| | |
|---|---|
| Item no EAN | 4021598114074 |
| Item no GF | 35001046910 |
| Item no GTIN | 04021598114074 |
| Item no VVS | 045472042 |

### Dimensions

| | |
|---|---|
| Item Unit Height | 53 |
| Item Unit Length | 80 |
| Item Unit Weight | 0,524 |
| Item Unit Width | 80 |
| Item_UOM | pce |

### Status

| | |
|---|---|
| MTO (longer delivery times) | Item available on request, minimum lead time 2 weeks |

### Packaging

| | |
|---|---|
| Packaging GTIN PL1 | 06414905460557 |
| Packaging GTIN PL4 | 06414905555277 |
| Packaging Height PL1 | 105 |
| Packaging Height PL4 | 645 |
| Packaging Length PL1 | 176 |
| Packaging Length PL4 | 800 |

| | |
|---|---|
| Packaging Quantity PL1 | 5 |
| Packaging Quantity PL4 | 500 |
| Packaging Type PL1 | Base_Box |
| Packaging Type PL4 | Pallet |
| Packaging Volume PL1 | 0,00373296 |
| Packaging Volume PL4 | 0,6192 |
| Packaging Weight PL1 | 2,7 |
| Packaging Weight PL4 | 290 |
| Packaging Width PL1 | 202 |
| Packaging Width PL4 | 1200 |

## Technical documents

Download documents here

# Excellence in Flow

Visit our webpage to get in contact with your local specialist:
**www.georgfischer.com/locations**



**Uponor UK**

Blackmor Lane The Pavillion
WD18 8GA, Watford
UK

T +44 (0)1923 381212
E customerservice.uk.bfs@georgfischer.com

www.uponor.com/en-gb

+GF+